



NOTES:

1. USE 5:1 (AGGREGATE: CEMENT) MIX FOR CONCRETE EDGE.
2. RECOMMENDED ONLY OVER WELL-DRAINING SOILS.
3. CONSTRUCTION OF THIS DETAIL CAN BE USED ONLY ON RESIDENTIAL DRIVEWAYS IN NON-FREEZE-THAW AREAS, UNLESS REBAR IS USED IN EDGE RESTRAINT.
4. THICKNESS OF AGGREGATE BASE WILL VARY WITH SUBGRADE CONDITIONS AND CLIMATE. COLDER CLIMATES MAY REQUIRE THICKER BASES.

PATIO/WALK/RESIDENTIAL DRIVEWAY WITH CONCRETE EDGE RESTRAINT



FOR REFERENCE ONLY. QUALIFIED PROFESSIONALS SHOULD BE CONSULTED ON A PROJECT-SPECIFIC BASIS.

DRAWING NO.

EBS-2

SCALE

NOT TO SCALE